L Number	Hits	Search Text	DB	Time stamp
1	10081	tlb or (translation adj2 (buffer or table))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:14
2	938	atb or dlat	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:14
3	3036	(lookaside or look-aside) adj (table or buffer)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/05 07:14
4	785	updat\$3 near broadcast\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:15
5	19916	(physical or real) near address\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:15
6	376042	pa or ra	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/05 07:15
7	11191	(tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:15
8	14	<pre>(updat\$3 near broadcast\$3) same ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:17
9	45	coherency near5 ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:17
10	1549	updat\$3 with (((physical or real) near address\$3) or (pa or ra))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:32
11	4990	<pre>(invalidat\$3 or purg\$3 or remov\$3) with (((physical or real) near address\$3) or (pa or ra))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:32
12	207	<pre>(updat\$3 with (((physical or real) near address\$3) or (pa or ra))) same ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 .07:18
13	4	look-aside) adj (table or buffer))) (coherency near5 ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) and ((updat\$3 with (((physical or real) near address\$3) or (pa or ra))) same ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05

14	1	<pre>(updat\$3 near broadcast\$3) with (((physical or real) near address\$3) or (pa or ra))</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/05 07:21
			DERWENT; IBM TDB	
15	6	snoop\$3 same (updat\$3 near broadcast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:25
16	9	("3533075" "3854126" "4277826" "4279014" "5659798" "5701486" "5765022" "5987582" "6347364").PN.	IBM_TDB USPAT	2004/02/05 07:22
17	390	snoop\$3 same invalidat\$3 same updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:27
18	22	<pre>((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))) same (snoop\$3 same invalidat\$3 same updat\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:32
19	700	<pre>(invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:49
20	906	updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))	USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05
21	64	<pre>((invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)</pre>	USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05
22	50	<pre>(updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:33
23	581	(((physical or real) near address\$3) or (pa or ra)) with (snoop\$3 or broadcast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:33
26	18	(pte or (page adj table adj entry)) with (snoop\$3 or broadcast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05
24	5	<pre>(((invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)) and ((((physical or real) near address\$3) or (pa or ra)) with (snoop\$3 or broadcast\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:34
25	10	<pre>((updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)) and ((((physical or real) near address\$3) or (pa or ra)) with (snoop\$3 or broadcast\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:37

8 (((invalidat\$3 or purg\$3 or remov\$3) with	USPAT; US-PGPUB;	2004/02/05 07:38
((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside	EPO; JPO;	07:30
or look-aside) adj (table or buffer))))	DERWENT;	
same (snoop\$3 or broadcast\$3)) and ((pte	IBM TDB	
or (page adj table adj entry)) with	_	
(snoop\$3 or broadcast\$3))		
28 6 ((updat\$3 with ((tlb or (translation adj2)	USPAT;	2004/02/05
(buffer or table))) or (atb or dlat) or	US-PGPUB;	07:44
((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3))	EPO; JPO; DERWENT;	
and ((pte or (page adj table adj entry))	IBM TDB	
with (snoop\$3 or broadcast\$3))		
29 113 synchroniz\$5 with ((tlb or (translation	USPAT;	2004/02/05
adj2 (buffer or table))) or (atb or dlat)	US-PGPUB;	07:46
or ((lookaside or look-aside) adj (table	EPO; JPO;	
or buffer)))	DERWENT; IBM TDB	
30 24 (updat\$3 with ((tlb or (translation adj2	USPAT;	2004/02/05
(buffer or table))) or (atb or dlat) or	US-PGPUB;	07:48
((lookaside or look-aside) adj (table or	EPO; JPO;	
buffer)))) same full	DERWENT;	
	IBM_TDB	0004/00/05
31 1287 (miss\$3 or mis-hit) with ((tlb or	USPAT; US-PGPUB;	2004/02/05
(translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or	EPO; JPO;	01.13
look-aside) adj (table or buffer)))	DERWENT;	
	IBM_TDB	
32 249 (invalidat\$3 or purg\$3 or remov\$3 or	USPAT;	2004/02/05
evict\$3 or flush\$3) same ((miss\$3 or	US-PGPUB;	07:49
mis-hit) with ((tlb or (translation adj2	EPO; JPO;	
(buffer or table))) or (atb or dlat) or (lookaside or look-aside) adj (table or	DERWENT; IBM TDB	
buffer))))	1511_155	
33 4 (synchroniz\$5 with ((tlb or (translation	USPAT;	2004/02/05
adj2 (buffer or table))) or (atb or dlat)	US-PGPUB;	07:50
or ((lookaside or look-aside) adj (table	EPO; JPO;	
or buffer)))) and ((invalidat\$3 or purg\$3	DERWENT; IBM TDB	
or remov\$3 or evict\$3 or flush\$3) same ((miss\$3 or mis-hit) with ((tlb or	104-106	
(translation adj2 (buffer or table))) or		
(atb or dlat) or ((lookaside or		
look-aside) adj (table or buffer)))))		
5 (coherency near5 ((tlb or (translation	USPAT;	2004/02/05
adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table	US-PGPUB; EPO; JPO;	07:51
or ((lookaside or look-aside) adj (table or buffer)))) and ((invalidat\$3 or purg\$3	DERWENT;	
or remov\$3 or evict\$3 or flush\$3) same	IBM TDB	
((miss\$3 or mis-hit) with ((tlb or	_	
(translation adj2 (buffer or table))) or		
(atb or dlat) or ((lookaside or		
look-aside) adj (table or buffer))))) 35 1470 (updat\$3 or add or adding or added or	USPAT;	2004/02/05
35 1470 (updat\$3 or add or adding or added or entered) with ((tlb or (translation adj2	USPAT; US-PGPUB;	07:52
(buffer or table))) or (atb or dlat) or	EPO; JPO;	
((lookaside or look-aside) adj (table or	DERWENT;	
buffer)))	IBM_TDB	
36 264 ((updat\$3 or add or adding or added or	USPAT;	2004/02/05
entered) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or	US-PGPUB;	07:52
((lookaside or look-aside) adj (table or	EPO; JPO; DERWENT;	
buffer)))) same ((miss\$3 or mis-hit) with	IBM TDB	
((tlb or (translation adj2 (buffer or		
table))) or (atb or dlat) or ((lookaside		
or look-aside) adj (table or buffer))))		

37	54 ((invalidat\$3 or purg\$3 or remov\$3 or	USPAT;	2004/02/05
	evict\$3 or flush\$3) same ((miss\$3 or	US-PGPUB;	07:52
	mis-hit) with ((tlb or (translation adj2	EPO; JPO;	
	(buffer or table))) or (atb or dlat) or	DERWENT;	
	((lookaside or look-aside) adj (table or	IBM_TDB	
j	buffer))))) and (((updat\$3 or add or	_	
]	adding or added or entered) with ((tlb or	:	
1	(translation adj2 (buffer or table))) or		
	(atb or dlat) or ((lookaside or		
	look-aside) adj (table or buffer)))) same	:	
	((miss\$3 or mis-hit) with ((tlb or		
	(translation adj2 (buffer or table))) or		
	(atb or dlat) or ((lookaside or		
	<pre>look-aside) adj (table or buffer)))))</pre>		